


MARK HEFFERNAN
PH.0419194512
mh@markheffernan.com.au
www.markheffernan.com.au

RACORES
INOXIDABLE

AISI 316L

NON SKIVE HOSE FITTINGS FOR R12/ 4SP/4SH



MH
ABN 96 836 066 283

Specialising in 316 SS
Fluid Couplings & Accessories

The Direct Connection
Since 2006

Mark Heffernan

☎ 61 419 194 512 ✉ mh@markheffernan.com.au
📍 West End, Brisbane, Australia, 4101
www.markheffernan.com.au

DICSA



ABN 96836066283

The Direct Connection →

Mark Heffernan

specialising in 316 ss products

BRINGS KNOWLEDGE

Combining excellence of , Engineering ,Design , Manufacturing from
DICSA [Spain]

Of an extensive product range of 316SS , hose fittings , adaptors
and accessories for hydraulic and other applications, stocked in
Brisbane Australia , offering supply and service to Australian
Industries.

Quality

Certification

Identification

Traceability

Availability

Cost effectiveness to all users and projects

Conforming to the certification Standards of

DNV-GL, Det Norske Veritas-Germanischer Lloyd

ABS , American Bureau of Shipping

BV , Bureau Veritas

ACIE /ENAC, European Quality Assurance Spain,[Environment]

FITTINGS BW SERIES R12/4SP/4SH NO SKIVE

Conexiones Serie BW R12/4SP/4SH No Pelar
Armaturen Serie BW R12/4SP/4SH ohne Schälung
Embouts R12/4SP/4SH Série BW Sans dénuder

Ferrules R12/4SP/4SH for fittings BW series

Casquillos R12/4SP/4SH para conexiones serie BW

Pressfassungen R12/4SP/4SH für Armaturen Serie BW

Jupes R12/4SP/4SH pour embouts série BW



DN	Referencia Part nº	€
1/2"	ZAC680100800	
5/8"	ZAC680101000	
3/4"	ZAC680101200	
1"	ZAC680101600	
1 1/4"	ZAC680102000	
1 1/2"	ZAC680102400	
2"	ZAC680103200	

Until end of stock / Hasta fin de existencias / Bis zum Ende des Lagerbestandes / Jusqu'à la fin du stock

Ferrules R13/R15 for fittings BW/BW+ series



Casquillos R13/R15 para serie BW/BW+

Jupes R13/R15 pour embouts série BW/BW+

Boccole a pressare per R13/R15 per raccordi serie BW/BW+



DN	Referencia Part nº	\$
1 1/4"	ZAC690102000	
1 1/2"	ZAC690102400	
2"	ZAC690103200	

BSP Swivel female 60° cone with o'ring (90° Elbow)

Hembras giratorias 90° BSP cono 60° con junta

Dichtkopf mit BSP Ü-Mutter 60° 90° mit O-Ring

Coude 90° femelle tournante gaz cyl BSP 60° avec joint



DN	ROSCA THREAD	Referencia Part nº	€
1/2"	1/2" BSP	Z661170808*	
3/4"	3/4" BSP	Z661171212*	
1"	1" BSP	Z661171616*	
1 1/4"	1 1/4" BSP	Z661172020	

*Until end of stock / Hasta fin de existencias / Bis zum Ende des Lagerbestandes / Jusqu'à la fin du stock

BSP Male 60° cone

Machos cilíndricos BSP 60°

Außengewinde zyl. BSP 60°

Mâle gaz cylindrique BSP 60°



DN	ROSCA THREAD	Referencia Part nº	€
1/2"	1/2" BSP	Z661120808*	
3/4"	3/4" BSP	Z661121212*	
1"	1" BSP	Z661121616*	
1 1/4"	1 1/4" BSP	Z661122020	
2"	2" BSP	Z661123232	

*Until end of stock / Hasta fin de existencias / Bis zum Ende des Lagerbestandes / Jusqu'à la fin du stock

BSP Swivel female 60° cone double hexagonal with o'ring

Hembras giratorias rectas BSP cono 60° doble hexagonal con junta

Dichtkopf mit BSP Ü-Mutter 60° doppelt 6 kt mit O-Ring

Femelle tournante gaz cyl BSP 60° double hexagonale avec o'ring



DN	ROSCA THREAD	Referencia Part nº	€
1/2"	1/2" BSP	Z664100808*	
5/8"	5/8" BSP	Z664101210*	
3/4"	3/4" BSP	Z664101212*	
1"	1" BSP	Z664101616*	
1 1/4"	1 1/4" BSP	Z664102020	
1 1/2"	1 1/2" BSP	Z664102424	
2"	2" BSP	Z664103232	

*Until end of stock / Hasta fin de existencias / Bis zum Ende des Lagerbestandes / Jusqu'à la fin du stock

BSP Swivel female 60° cone with o'ring (45° Elbow)

Hembras giratorias 45° BSP cono 60° con junta

Dichtkopf mit BSP 60° Ü-Mutter kon. 45° mit O-Ring

Hembras giratorias 45° BSP cono 60° avec o'ring



DN	ROSCA THREAD	Referencia Part nº	€
1/2"	1/2" BSP	Z661180808*	
3/4"	3/4" BSP	Z661181212*	
1"	1" BSP	Z661181616*	
1 1/4"	1 1/4" BSP	Z661182020	

*Until end of stock / Hasta fin de existencias / Bis zum Ende des Lagerbestandes / Jusqu'à la fin du stock

FITTINGS BW SERIES R12/4SP/4SH NO SKIVE

Conexiones Serie BW R12/4SP/4SH No Pelar
Armaturen Serie BW R12/4SP/4SH ohne Schälung
Embouts R12/4SP/4SH Série BW Sans dénuder

CRIMPING FITTINGS
FOR HOSES

PIPE
FITTINGS

PIPE
FITTINGS II

ADAPTORS

WELDING
FITTINGS

INDUSTRIAL
FITTINGS

ACCESSORIES

CONTROL
COMPONENTS

FLOW
MEASURING

TRAILE LOK

Double hexagonal NPSM female 60° cone with o'ring

Hembras giratorias rectas NPSM cono 60° doble hexagonal con junta

Dichtkopf mit NPSM Ü-Mutter 60° kon. doppelt 6 kt mit O-Ring

Femelle NPSM cono 60° double hexagonal avec joint torique



DN	ROSCA THREAD	Referencia Part nº	€
3/4"	3/4" NPSM	Z664611212*	
1"	1" NPSM	Z664611616*	
1"1/4	1"1/4 NPSM	Z664612020	
1"1/2	1"1/2 NPSM	Z664612424	
2"	2" NPSM	Z664613232	

*Until end of stock / Hasta fin de existencias / Bis zum Ende des Lagerbestandes / Jusqu'à la fin du stock

NPT Male pipe straight

Machos cónicos NPT

Außengewinde NPT

Mâle conique NPT



DN	ROSCA THREAD	Referencia Part nº	€
1/2"	1/2" NPT	Z661610808*	
3/4"	3/4" NPT	Z661611212*	
1"	1" NPT	Z661611616*	
1"1/4	1"1/4 NPT	Z661612020	
1"1/2	1"1/2 NPT	Z661612424	

*Until end of stock / Hasta fin de existencias / Bis zum Ende des Lagerbestandes / Jusqu'à la fin du stock

Double Hexagonal JIC 37° Swivel female

Hembras giratorias rectas JIC 37° doble hexagonal

Dichtkonus mit Ü-Mutter JIC 37° doppelt 6 kt

Femelle JIC 37° double hexagonal



DN	ROSCA THREAD	Referencia Part nº	€
1/2"	3/4" 16h UNF	Z662421208*	
5/8"	7/8" 14h UNF	Z662421410*	
3/4"	1"1/16 12h UN	Z662421712*	
1"	1"1/16 12h UNF	Z662421716*	
1"	1"5/16 12h UN	Z662422116*	
1"1/4	1"5/8 12h UN	Z662422620	
1"1/2	1"7/8 12h UN	Z662423024	
2"	2"1/2 12h UN	Z662424032	

*Until end of stock / Hasta fin de existencias / Bis zum Ende des Lagerbestandes / Jusqu'à la fin du stock

JIC 37° Swivel female (90° Elbow)

Hembras giratorias 90° JIC 37°

Dichtkonus mit Ü-Mutter 37° JIC 90°

Coude 90° femelle JIC 37°



DN	ROSCA THREAD	Referencia Part nº	€
1/2"	3/4" 16h UNF	Z661381208*	
5/8"	7/8" 14h UNF	Z661381410*	
3/4"	1"1/16 12h UN	Z661381712*	
1"	1"1/16 12h UNF	Z661381716*	
1"	1"5/16 12h UN	Z661382116*	
1"1/4	1"5/8 12h UN	Z661382620	
1"1/2	1"7/8 12h UN	Z661383024	
2"	2"1/2 12h UN	Z661384032	

*Until end of stock / Hasta fin de existencias / Bis zum Ende des Lagerbestandes / Jusqu'à la fin du stock

JIC 37° Swivel female (45° Elbow)

Hembras giratorias 45° JIC 37°

Dichtkonus mit Ü-Mutter 37° JIC 45°

Coude 45° femelle JIC 37°



DN	ROSCA THREAD	Referencia Part nº	€
1/2"	3/4" 16h UNF	Z661391208*	
5/8"	7/8" 14h UNF	Z661391410 *	
3/4"	1"1/16 12h UN	Z661391712*	
1"	1"5/16 12h UN	Z661392116*	
1"1/4	1"5/8 12h UN	Z661392620	
1"1/2	1"7/8 12h UN	Z661393024	
* 2"	2"1/2 12h UN	Z661394032	

*Until end of stock / Hasta fin de existencias / Bis zum Ende des Lagerbestandes / Jusqu'à la fin du stock

JIC 37° male with o'ring

Machos JIC 37° con junta

Außengewinde JIC 37° mit O-Ring

Mâle JIC 37° avec joint torique



DN	ROSCA THREAD	Referencia Part nº	€
1/2"	3/4" 16h UNF	Z661411208*	
5/8"	7/8" 14h UNF	Z661411410*	
3/4"	1"1/16 12h UNF	Z661411712*	
1"	1"5/16 12h UNF	Z661412116*	
1"1/4	1"5/8 12h UNF	Z661412620	

*Until end of stock / Hasta fin de existencias / Bis zum Ende des Lagerbestandes / Jusqu'à la fin du stock

FITTINGS BW SERIES R12/4SP/4SH NO SKIVE

Conexiones Serie BW R12/4SP/4SH No Pelar
Armaturen Serie BW R12/4SP/4SH ohne Schälung
Embouts R12/4SP/4SH Série BW Sans dénuder

ORFS Swivel female straight

Hembras giratorias rectas ORFS doble hexagonal

Dichtkopf mit Ü-Mutter ORFS doppelt 6 kt

Femelle droite ORFS



DN	ROSCA THREAD	Referencia Part nº	€
1/2"	13/16"-16h	Z669011308*	
3/4"	1"3/16-12h	Z669011912*	
1"	1"7/16-12h	Z669012316*	
1" 1/4	1"11/16-12h	Z669012720	
1" 1/2	2"-12h	Z669013224	

*Until end of stock / Hasta fin de existencias / Bis zum Ende des Lagerbestandes / Jusqu'à la fin du stock

ORFS Swivel female (90° Elbow)

Hembras giratorias 90° ORFS asiento plano

Dichtkopf mit Ü-Mutter ORFS 90° flachdichtend

Coude 90° femelle ORFS



DN	ROSCA THREAD	Referencia Part nº	€
1"	13/16"-16h	Z669071308*	
3/4"	1"3/16-12h	Z669071912*	
1"	1"7/16-12h	Z669072316*	
1" 1/4	1"11/16-12h	Z669072720	

*Until end of stock / Hasta fin de existencias / Bis zum Ende des Lagerbestandes / Jusqu'à la fin du stock

ORFS Swivel female (45° Elbow)

Hembras giratorias 45° ORFS asiento plano

Dichtkopf mit Ü-Mutter 45° ORFS flachdichtend

Coude 45° femelle ORFS



DN	ROSCA THREAD	Referencia Part nº	€
3/4"	1"3/16-12h	Z669081912*	
1"	1"7/16-12h	Z669082316*	
1" 1/4	1"11/16-12h	Z669082720	

*Until end of stock / Hasta fin de existencias / Bis zum Ende des Lagerbestandes / Jusqu'à la fin du stock

ORFS Male

Machos ORFS

Außengewinde ORFS

Mâle ORFS



DN	ROSCA THREAD	Referencia Part nº	€
3/4"	1"3/16-12h	Z669121912	

Until end of stock / Hasta fin de existencias / Bis zum Ende des Lagerbestandes / Jusqu'à la fin du stock

Metric swivel female 24° seat with o'ring

Hembras giratorias Métricas cono 24° con junta tórica

Dichtkopf mit Ü-Mutter kon. 24° DKO

Femelle Métrique 24° avec o'ring



DN	TUBO PIPE	SERIE SERIES	ROSCA THREAD	Referencia Part nº	€
1/2"	16	S	M24x1.5	Z66204241608*	
3/4"	20	S	M30x2	Z66204302012*	
3/4"	25	S	M36x2	Z66204362512*	
1"	25	S	M36x2	Z66204362516*	
1"	30	S	M42x2	Z66204423016*	
1"1/4	38	S	M52x2	Z66204523820	
1"1/2	38	S	M52x2	Z66204523824	

*Until end of stock / Hasta fin de existencias / Bis zum Ende des Lagerbestandes / Jusqu'à la fin du stock

Metric swivel female 24° seat with o'ring (90° Elbow)

Hembras giratorias 90° Métricas cono 24° con junta tórica

Dichtkegel mit Ü-Mutter kon. 24° DKO 90°

Coude 90° femelle Métrique 24° avec o'ring



DN	TUBO PIPE	SERIE SERIES	ROSCA THREAD	Referencia Part nº	€
3/4"	20	S	M30x2	Z66205302012*	
3/4"	25	S	M36x2	Z66205362512*	
1"	25	S	M36x2	Z66205362516*	
1"	30	S	M42x2	Z66205423016*	
1"1/4	38	S	M52x2	Z66205523820	

*Until end of stock / Hasta fin de existencias / Bis zum Ende des Lagerbestandes / Jusqu'à la fin du stock

Metric swivel female 24° seat with o'ring (45° Elbow)

Hembras giratorias 45° Métricas cono 24° con junta tórica

Dichtkegel mit Ü-Mutter kon. 24° DKO 45°

Coude 45° femelle Métrique 24° avec o'ring



DN	TUBO PIPE	SERIE SERIES	ROSCA THREAD	Referencia Part nº	€
3/4"	20	S	M30x2	Z66206302012*	
3/4"	25	S	M36x2	Z66206362512*	
1"	30	S	M42x2	Z66206423016*	
1"1/4	38	S	M52x2	Z66206523820	

*Until end of stock / Hasta fin de existencias / Bis zum Ende des Lagerbestandes / Jusqu'à la fin du stock

Metric male stud 24° cone

Machos fijos Métricos cono 24°

Außengewinde metr. kon. 24°

Mâle Métrique cone 24°



DN	TUBO PIPE	SERIE SERIES	ROSCA THREAD	Referencia Part nº	€
3/4"	20	S	M30x2	Z66203302012*	
3/4"	25	S	M36x2	Z66203362512*	
1"	30	S	M42x2	Z66203423016*	
1"1/4	38	S	M52x2	Z66203523820	

*Until end of stock / Hasta fin de existencias / Bis zum Ende des Lagerbestandes / Jusqu'à la fin du stock

FITTINGS BW SERIES R12/4SP/4SH NO SKIVE

Conexiones Serie BW R12/4SP/4SH No Pelar
Armaturen Serie BW R12/4SP/4SH ohne Schälung
Embouts R12/4SP/4SH Série BW Sans dénuder

3000 PSI SAE Straight Flange / Code 61

Bridas rectas SAE 3000 PSI

Gerader Flansch SAE 3000 PSI

Bride SAE droite série 3000 PSI



DN	Ø	Referencia Part nº	€
1/2"	30.2	Z661820808*	
3/4"	38.1	Z661821212*	
1"	44.5	Z661821616*	
1"1/4	50.8	Z661822020	
1"1/4	60.3	Z661822420	NEW
1"1/2	60.3	Z661822424	
2"	71.4	Z661823232	

*Until end of stock / Hasta fin de existencias / Bis zum Ende des Lagerbestandes / Jusqu'à la fin du stock

3000 PSI SAE Flange (90° Elbow) / Code 61

Bridas a 90° SAE 3000 PSI

Flansch 90° SAE 3000 PSI

Bride SAE coude 90° série 3000 PSI



DN	Ø	Referencia Part nº	€
3/4"	38.1	Z661831212*	
1"	44.5	Z661831616*	
1"1/4	50.8	Z661832020	
1"1/2	60.3	Z661832424	
2"	71.4	Z661833232	

*Until end of stock / Hasta fin de existencias / Bis zum Ende des Lagerbestandes / Jusqu'à la fin du stock

3000 PSI SAE Flange (45° Elbow) / Code 61

Bridas a 45° SAE 3000 PSI

Flansch 45° SAE 3000 PSI

Bride SAE coude 45° série 3000 PSI



DN	Ø	Referencia Part nº	€
3/4"	38.1	Z661841212*	
1"	44.5	Z661841616*	
1"1/4	50.8	Z661842020	
1"1/2	60.3	Z661842424	
2"	71.4	Z661843232	

*Until end of stock / Hasta fin de existencias / Bis zum Ende des Lagerbestandes / Jusqu'à la fin du stock

6000 PSI SAE Straight Flange / Code 62

Bridas recta SAE 6000 PSI

Gerader Flansch SAE 6000 PSI

Bride SAE droite série 6000 PSI



DN	Ø	Referencia Part nº	€
1/2"	31.8	Z662820808*	
3/4"	41.3	Z662821212*	
1"	47.6	Z662821616*	
1"1/4	54	Z662822020	
1"1/2	63.5	Z662822424	
2"	79.4	Z662823232	

*Until end of stock / Hasta fin de existencias / Bis zum Ende des Lagerbestandes / Jusqu'à la fin du stock

6000 PSI SAE Flange (90° Elbow) / Code 62

Bridas a 90° SAE 6000 PSI

Flansch 90° SAE 6000 PSI

Bride SAE coude 90° série 6000 PSI



DN	Ø	Referencia Part nº	€
1/2"	31.8	Z662830808*	
5/8"	41.3	Z662831210*	
3/4"	41.3	Z662831212*	
1"	47.6	Z662831616*	
1"1/4	54	Z662832020	
1"1/2	63.5	Z662832424	
2"	79.4	Z662833232	

*Until end of stock / Hasta fin de existencias / Bis zum Ende des Lagerbestandes / Jusqu'à la fin du stock

6000 PSI SAE Flange (45° Elbow) / Code 62

Bridas a 45° SAE 6000 PSI

Flansch 45° SAE 6000 PSI

Bride SAE coude 45° série 6000 PSI



DN	Ø	Referencia Part nº	€
1/2"	31.8	Z662840808*	
5/8"	41.3	Z662841210*	
3/4"	41.3	Z662841212*	
1"	47.6	Z662841616*	
1"1/4	54	Z662842020	
1"1/2	63.5	Z662842424	
2"	79.4	Z662843232	

*Until end of stock / Hasta fin de existencias / Bis zum Ende des Lagerbestandes / Jusqu'à la fin du stock