


MARK HEFFERNAN
PH.0419194512
mh@markheffernan.com.au
www.markheffernan.com.au

RACORES
INOXIDABLE

AISI 316L

INTERLOK HOSE FITTINGS



MH
ABN 96 836 066 283

Specialising in 316 SS
Fluid Couplings & Accessories

The Direct Connection
Since 2006

Mark Heffernan

☎ 61 419 194 512 ✉ mh@markheffernan.com.au
📍 West End, Brisbane, Australia, 4101
www.markheffernan.com.au

DICSA



ABN 96836066283

The Direct Connection →

Mark Heffernan

specialising in 316 ss products

BRINGS KNOWLEDGE

Combining excellence of , Engineering ,Design , Manufacturing from
DICSA [Spain]

Of an extensive product range of 316SS , hose fittings , adaptors
and accessories for hydraulic and other applications, stocked in
Brisbane Australia , offering supply and service to Australian
Industries.

Quality

Certification

Identification

Traceability

Availability

Cost effectiveness to all users and projects

Conforming to the certification Standards of

DNV-GL, Det Norske Veritas-Germanischer Lloyd

ABS , American Bureau of Shipping

BV , Bureau Veritas

ACIE /ENAC, European Quality Assurance Spain,[Environment]

INTERLOCK SERIES

Conexiones Interlock

Armaturen Interlock

Embouts Interlock

Ferrules DIN 20023 - 4SH Interlock

Casquillos Interlock 4SH

Pressfassungen 4 SH DIN 20023/EN 856-4SH

Jupes à sertir DIN 20023 - 4SH Interlock



DN	MANGUERA HOSE	Referencia Part nº	€
3/4"	4SH / R13 / R15	ZA610101200	
1"	4SH / R13 / R15	ZA610101600	
1"1/4	4SH	ZA610102000	
1"1/2	4SH	ZA610102400	
2"	4SH	ZA610103200	

Ferrules SAE 100 R13/R15 Interlock

Casquillos Interlock R13/R15

Pressfassungen SAE 100 R13/R15

Jupes à sertir R13/R15 Interlock



DN	Referencia Part nº	€
1" 1/4	Z610102000	
1"1/2	Z610102400	
2"	Z610103200	

3/4" and 1" are the same ferrules as in 4SH / Para 3/4" y 1" son los mismos casquillos que en 4SH / Für 3/4" und 1" werden die gleichen Presshülsen wie für 4SH verwendet / 3/4" et 1" sont les mêmes jupes que pour 4SH

BSP 60° cone Swivel female Interlock with o'ring

Hembras giratorias rectas rosca BSP cono 60° Interlock con junta

Dichtkopf mit BSP Ü-Mutter Interlock DKR mit O-Ring

Femelle droite gaz cylindrique BSP 60° Interlock avec joint torique



DN	ROSCA THREAD	Referencia Part nº	€
3/4"	3/4" BSP	Z641001212	
1"	1" BSP	Z641001616	
1"1/4	1"1/4 BSP	Z641002020	
1"1/2	1"1/2 BSP	Z641002424	

Until end of stock / Hasta fin de existencias / Bis zum Ende des Lagerbestandes / Jusqu'à la fin du stock

BSP 60° cone Swivel female Interlock (90° Elbow) with o'ring

Hembras giratoria 90° BSP cono 60° Interlock con junta

Dichtkopf mit BSP 60° Ü-Mutter Interlock DKR 90° kon. mit O-Ring

Coude 90° femelle gaz cylindrique BSP 60° Interlock avec joint torique



DN	ROSCA THREAD	Referencia Part nº	€
3/4"	3/4" BSP	Z641071212	
1"	1" BSP	Z641071616	
1"1/4	1"1/4 BSP	Z641072020	
1"1/2	1"1/2 BSP	Z641072424	
2"	2" BSP	Z641073232	

Until end of stock / Hasta fin de existencias / Bis zum Ende des Lagerbestandes / Jusqu'à la fin du stock

BSP 60° Male cone

Machos cilíndricos BSP cono 60° Interlock

BSP Einschraubzapfen zyl. DIN 3852 Form A AFR

Mâle gaz cylindrique BSP 60° Interlock



DN	ROSCA THREAD	Referencia Part nº	€
3/4"	3/4" BSP	Z641121212	
1"	1" BSP	Z641121616	
1"1/4	1"1/4 BSP	Z641122020	
1"1/2	1"1/2 BSP	Z641122424	
2"	2" BSP	Z641123232	

BSP 60° cone Swivel female Interlock (45° Elbow) with o'ring

Hembras giratoria 45° BSP cono 60° Interlock con junta

Dichtkopf mit BSP 60° Ü-Mutter Interlock DKR 45° kon. mit O-Ring

Coude 45° femelle gaz cylindrique BSP 60° Interlock avec joint torique



DN	ROSCA THREAD	Referencia Part nº	€
3/4"	3/4" BSP	Z641081212	
1"	1" BSP	Z641081616	
1"1/4	1"1/4 BSP	Z641082020	
1"1/2	1"1/2 BSP	Z641082424	
2"	2" BSP	Z641083232	

Until end of stock / Hasta fin de existencias / Bis zum Ende des Lagerbestandes / Jusqu'à la fin du stock

NPT Male pipe straight Interlock

Machos cónicos NPT Interlock

Außengewinde NPT AGN Interlock

Mâle conique NPT Interlock



DN	ROSCA THREAD	Referencia Part nº	€
3/4"	3/4" NPT	Z641611212	
1"	1" NPT	Z641611616	
1"1/4	1"1/4 NPT	Z641612020	
1"1/2	1"1/2 NPT	Z641612424	
2"	2" NPT	Z641613232	

INTERLOCK SERIES

Conexiones Interlock

Armaturen Interlock

Embouts Interlock

BSP 60° cone Swivel female Interlock with o'ring wire nut

NEW

Hembras giratorias rectas BSP cono 60° con junta (tca engargolada)

Dichtkopf mit BSP Ü-Mutter Interlock DKR mit O-Ring Muffenmutter

Femelle droite gaz cylindrique BSP 60° Interlock avec joint torique écrou à jonc



DN	ROSCA THREAD	Referencia Part nº	€
3/4"	3/4" BSP	Z645001212	
1"	1" BSP	Z645001616	
1"1/4	1"1/4 BSP	Z645002020	
1"1/2	1"1/2 BSP	Z645002424	
2"	2" BSP	Z645003232	

BSP 60° cone Swivel female Interlock (45° Elbow) with o'ring wire nut

NEW

Hembras giratorias 45° BSP cono 60° con junta (tca engargolada)

Dichtkopf mit BSP 60° Ü-Mutter Interlock DKR 45° kon. mit O-Ring Muffenmutter

Coude 45° femelle gaz cylindrique BSP 60° Interlock avec joint torique écrou à jonc



DN	ROSCA THREAD	Referencia Part nº	€
3/4"	3/4" BSP	Z645081212	*
1"	1" BSP	Z645081616	*
1"1/4	1"1/4 BSP	Z645082020	*
1"1/2	1"1/2 BSP	Z645082424	*
2"	2" BSP	Z645083232	*

BSP 60° cone Swivel female Interlock (90° Elbow) with o'ring wire nut

NEW


Hembras giratorias 90° BSP cono 60° con junta (tca engargolada)

Dichtkopf mit BSP 60° Ü-Mutter Interlock DKR 90° kon. mit O-Ring Muffenmutter

Coude 90° femelle gaz cylindrique BSP 60° Interlock avec joint torique écrou à jonc



DN	ROSCA THREAD	Referencia Part nº	€
3/4"	3/4" BSP	Z645071212	*
1"	1" BSP	Z645071616	*
1"1/4	1"1/4 BSP	Z645072020	*
1"1/2	1"1/2 BSP	Z645072424	*
2"	2" BSP	Z645073232	*



INTERLOCK SERIES

Conexiones Interlock
Armaturen Interlock
Embouts Interlock

Double hexagonal JIC 37° Swivel female

Hembras giratorias JIC 37° doble hexagonal Interlock
Dichtkonus einteilig Ü-Mutter 37° JIC doppelt 6 kt Interlock
Femelle JIC 37° double hexagonal



DN	ROSCA THREAD	Referencia Part nº	€
3/4"	1"1/16 12h UN	Z642421712	
1"	1"5/16 12h UN	Z642422116	
1"1/4	1"5/8 12h UN	Z642422620	
1"1/2	1"7/8 12h UN	Z642423024	
2"	2"1/2 12h UN	Z642424032	

JIC 37° Swivel female Interlock

Hembras giratorias rectas JIC 37° Interlock
Dichtkonus mit Ü-Mutter JIC 37° Interlock
Femelle tourn.droite JIC 37° Interlock



DN	ROSCA THREAD	Referencia Part nº	€
3/4"	1"1/16 12h UN	Z641421712	
1"	1"5/16 12h UN	Z641422116	
1"1/4	1"5/8 12h UN	Z641422620	
1"1/4	1"7/8 12h UN	Z641423020	
1"1/2	1"7/8 12h UN	Z641423024	
2"	2"1/2 12h UN	Z641424032	

JIC 37° male Interlock

Machos JIC 37° Interlock
Außengewinde JIC 37°
Mâle JIC 37° Interlock



DN	ROSCA THREAD	Referencia Part nº	€
3/4"	1"1/16 12h UN	Z641401712	
1"	1"5/16 12h UN	Z641402116	
1"1/4	1"5/8 12h UN	Z641402620	
1"1/2	1"7/8 12h UN	Z641403024	
2"	2"1/2 12h UN	Z641404032	

JIC 37° Swivel female Interlock (90° Elbow)

Hembras giratorias 90° JIC 37° Interlock
JIC 37° Dichtkonus 90° DKJ 90° interlock
Coude 90° femelle tournante JIC 37° Interlock



DN	ROSCA THREAD	Referencia Part nº	€
3/4"	1"1/16 12h UN	Z641381712	
1"	1"5/16 12h UN	Z641382116	
1"1/4	1"5/8 12h UN	Z641382620	
1"1/2	1"7/8 12h UN	Z641383024	
2"	2"1/2 12h UN	Z641384032	

JIC 37° Swivel female Interlock (45° Elbow)

Hembras giratorias 45° JIC 37° Interlock
Dichtkonus JIC 37° 45° DKJ 45° Interlock
Coude 45° femelle tournante JIC 37° Interlock



DN	ROSCA THREAD	Referencia Part nº	€
3/4"	1"1/16 12h UN	Z641391712	
1"	1"5/16 12h UN	Z641392116	
1"1/4	1"5/8 12h UN	Z641392620	
1"1/2	1"7/8 12h UN	Z641393024	
2"	2"1/2 12h UN	Z641394032	



Bajo Consulta
On Request

INTERLOCK SERIES

Conexiones Interlock
Armaturen Interlock
Embouts Interlock

CRIMPING FITTINGS
FOR HOSES

Metric swivel female 24° seat serie S Interlock with o'ring

Hembras giratorias rectas Métricas cono 24°
Interlock con junta tórica
Dichtkegel mit Ü-Mutter O-Ring DIN 20078
Interlock

Femelle droite Métrique 24° Interlock avec o'ring



DN	TUBO PIPE	SERIE SERIES	ROSCA THREAD	Referencia Part nº	€
3/4"	20	S	M30x2	Z64204302012	
3/4"	25	S	M36x2	Z64204362512	
1"	30	S	M42x2	Z64204423016	
1"1/4	38	S	M52x2	Z64204523820	
1"1/2	38	S	M52x2	NEW Z64204523824	

Metric swivel female 24° seat serie S Interlock with o'ring (90° Elbow)

Hembras 90° Métricas cono 24° Interlock con junta tórica
Dichtkegel mit Ü-Mutter O-Ring DIN 20078
90° Interlock

Coude 90° femelle Métrique 24° Interlock avec o'ring



DN	TUBO PIPE	SERIE SERIES	ROSCA THREAD	Referencia Part nº	€
3/4"	20	S	M30x2	Z64205302012	
3/4"	25	S	M36x2	Z64205362512	
1"	30	S	M42x2	Z64205423016	
1"1/4	38	S	M52x2	Z64205523820	
1"1/2	38	S	M52x2	NEW Z64205523824	

Metric swivel female 24° seat serie S Interlock with o'ring (45° Elbow)

Hembras 45° Métricas cono 24° Interlock con junta tórica
Dichtkegel mit Ü-Mutter O-Ring DIN 20078
45° Interlock

Coude 45° femelle Métrique 24° Interlock avec o'ring



DN	TUBO PIPE	SERIE SERIES	ROSCA THREAD	Referencia Part nº	€
3/4"	20	S	M30x2	Z64206302012	
3/4"	25	S	M36x2	Z64206362512	
1"	30	S	M42x2	Z64206423016	
1"1/4	38	S	M52x2	Z64206523820	

Metric male stud 24° cone serie S Interlock

Machos Métricos cono 24° Interlock

Gewindezapfen DIN 20078 Interlock

Mâle Métrique cone 24° Interlock



DN	TUBO PIPE	SERIE SERIES	ROSCA THREAD	Referencia Part nº	€
3/4"	20	S	M30x2	Z64203302012	
3/4"	25	S	M36x2	Z64203362512	
1"	30	S	M42x2	Z64203423016	
1"1/4	38	S	M52x2	Z64203523820	

Interlock ORFS Swivel female straight

Hembras giratorias rectas ORFS Interlock

Dichtkopf mit ORFS Ü-Mutter - Interlock

Femelle droite ORFS Interlock



DN	ROSCA THREAD	Referencia Part nº	€
3/4"	1"3/16-12h	Z649011912	
1"	1"7/16-12h	Z649012316	
1"1/4	1"11/16-12h	Z649012720	
1"1/2	2"-12h	Z649013224	

Interlock ORFS Male

Machos ORFS Interlock

Außengewinde ORFS Interlock

Mâle ORFS Interlock



DN	ROSCA THREAD	Referencia Part nº	€
3/4"	1"3/16-12h	Z649121912	
1"	1"7/16-12h	Z649122316	
1"1/4	1"11/16-12h	Z649122720	
1"1/2	2"-12h	Z649123224	

Interlock ORFS Swivel female (90° Elbow)

Hembras giratorias 90° ORFS Interlock

Dichtkopf 90° ORFS Interlock

Coude 90° femelle ORFS Interlock



DN	ROSCA THREAD	Referencia Part nº	€
3/4"	1"3/16-12h	Z649071912	
1"	1"7/16-12h	Z649072316	
1"1/4	1"11/16-12h	Z649072720	
1"1/2	2"-12h	Z649073224	

Interlock ORFS Swivel female (45° Elbow)

Hembras giratorias 45° ORFS Interlock

Dichtkopf 45° ORFS Interlock

Coude 45° femelle ORFS Interlock



DN	ROSCA THREAD	Referencia Part nº	€
3/4"	1"3/16-12h	Z649081912	
12	1"7/16-12h	Z649082316	
1"1/4	1"11/16-12h	Z649082720	
1"1/2	2"-12h	Z649083224	

PIPE
FITTINGS

PIPE
FITTINGS II

ADAPTORS

WELDING
FITTINGS

INDUSTRIAL
FITTINGS

ACCESSORIES

CONTROL
COMPONENTS

FLOW
MEASURING

TRALE LOK

INTERLOCK SERIES

Conexiones Interlock

Armaturen Interlock

Embouts Interlock

3000 PSI SAE Straight Flange Interlock / Code 61

Bridas rectas SAE 3000 PSI Interlock

Gerader Flansch SAE 3000 PSI Interlock

Bride SAE droite série 3000 PSI Interlock



DN	Ø	Referencia Part nº	€
3/4"	38,1	Z641821212	
3/4"	44,5	Z641821612	
1"	44,5	Z641821616	
1"	50,8	Z641822016	
1 1/4"	50,8	Z641822020	
1 1/4"	60,3	Z641822420	
1 1/2"	60,3	Z641822424	
1 1/2"	71,4	Z641823224	
2"	71,4	Z641823232	

6000 PSI SAE Straight Flange Interlock / Code 62

Bridas Rectas SAE 6000 PSI Interlock

Gerader Flansch SAE 6000 PSI Interlock

Bride SAE droite série 6000 PSI Interlock



DN	Ø	Referencia Part nº	€
3/4"	41,3	Z642821212	
3/4"	47,63	Z642821612	
1"	47,63	Z642821616	
1"	53,98	Z642822016	
1 1/4"	54	Z642822020	
1 1/4"	63,5	Z642822420	
1 1/2"	63,5	Z642822424	
1 1/2"	79,38	Z642823224	
2"	79,38	Z642823232	

3000 PSI SAE Flange Interlock (90° Elbow) / Code 61

Bridas 90° SAE 3000 PSI Interlock

Flansch 90° SAE 3000 PSI Interlock

Coude 90° bride SAE série 3000 PSI Interlock



DN	Ø	Referencia Part nº	€
3/4"	38,1	Z641831212	
3/4"	44,45	Z641831612	
1"	44,45	Z641831616	
1"	50,8	Z641832016	
1 1/4"	50,8	Z641832020	
1 1/4"	60,33	Z641832420	
1 1/2"	60,3	Z641832424	
1 1/2"	71,4	Z641833224	
2"	71,4	Z641833232	

6000 PSI SAE Flange Interlock (90° Elbow) / Code 62

Bridas 90° SAE 6000 PSI Interlock

Flansch 90° SAE 6000 PSI Interlock

Coude 90° bride SAE série 6000 PSI Interlock



DN	Ø	Referencia Part nº	€
3/4"	41,3	Z642831212	
3/4"	44,45	Z642831612	
1"	47,63	Z642831616	
1"	53,98	Z642832016	
1 1/4"	53,98	Z642832020	
1 1/4"	63,5	Z642832420	
1 1/2"	63,5	Z642832424	
1 1/2"	79,38	Z642833224	
2"	79,38	Z642833232	

3000 PSI SAE Flange Interlock (45° Elbow) / Code 61

Bridas 45° SAE 3000 PSI Interlock

Flansch 45° SAE 3000 PSI Interlock

Coude 45° bride SAE série 3000 PSI Interlock



DN	Ø	Referencia Part nº	€
3/4"	38,1	Z641841212	
3/4"	44,5	Z641841612	
1"	44,5	Z641841616	
1"	50,8	Z641842016	
1 1/4"	50,8	Z641842020	
1 1/4"	60,3	Z641842420	
1 1/2"	60,3	Z641842424	
2"	71,4	Z641843224	
2"	71,4	Z641843232	

6000 PSI SAE Flange Interlock (45° Elbow) / Code 62

Bridas 45° SAE 6000 PSI Interlock

Flansch 45° SAE 6000 PSI Interlock

Coude 45° bride SAE série 6000 PSI Interlock



DN	Ø	Referencia Part nº	€
3/4"	41,3	Z642841212	
3/4"	47,6	Z642841612	
1"	47,6	Z642841616	
1"	54	Z642842016	
1 1/4"	54	Z642842020	
1 1/4"	63,5	Z642842420	
1 1/2"	63,5	Z642842424	
1 1/2"	79,4	Z642843224	
2"	79,4	Z642843232	