


MARK HEFFERNAN
PH.0419194512
mh@markheffernan.com.au
www.markheffernan.com.au

RACORES
INOXIDABLE

AISI 316L

FIELD ATTACHABLE HOSE FITTINGS & PUSHLOK



MH
ABN 96 836 066 283

Specialising in 316 SS
Fluid Couplings & Accessories

The Direct Connection
Since 2006

Mark Heffernan

☎ 61 419 194 512 ✉ mh@markheffernan.com.au
📍 West End, Brisbane, Australia, 4101
www.markheffernan.com.au

DICSA



ABN 96836066283

The Direct Connection →

Mark Heffernan

specialising in 316 ss products

BRINGS KNOWLEDGE

Combining excellence of , Engineering ,Design , Manufacturing from
DICSA [Spain]

Of an extensive product range of 316SS , hose fittings , adaptors
and accessories for hydraulic and other applications, stocked in
Brisbane Australia , offering supply and service to Australian
Industries.

Quality

Certification

Identification

Traceability

Availability

Cost effectiveness to all users and projects

Conforming to the certification Standards of

DNV-GL, Det Norske Veritas-Germanischer Lloyd

ABS , American Bureau of Shipping

BV , Bureau Veritas

ACIE /ENAC, European Quality Assurance Spain,[Environment]

Conexiones Reusables/Field Attachable


Reusable series
Embouts série récupérable
Serie Recuperabile

Casquillos reusables para manguera R1T no pelar

Reusable ferrules R1T non skive

Jupes récupérables R1T sans dénudage

Boccola recuperabile per R1T senza pelatura




DN	Part nº Referencia	€
1/4"	Z1G-4 R1T INOX	
5/16"	Z1G-5 R1T INOX	
3/8"	Z1G-6 R1T INOX	
1/2"	Z1G-8 R1T INOX	
3/4"	Z1G-12 R1T INOX	
1"	Z1G-16 R1T INOX	

Casquillos reusables para manguera R2AT no pelar

Reusable ferrules R2AT non skive

Jupes récupérables R2AT sans dénudage

Boccola recuperabile per R2AT senza pelatura




DN	Part nº Referencia	€
1/4"	Z1G-4 R2T INOX	
3/8"	Z1G-6 R2T INOX	
1/2"	Z1G-8 R2T INOX	
5/8"	Z1G-10 R2T INOX	
3/4"	Z1G-12 R2T INOX	
1"	Z1G-16 R2T INOX	

Hembras giratorias rectas reusables rosca BSP cono 60°

Reusable BSP Swivel female 60° cone

Femelle récupérable gaz cylindrique 60°

Femmina diritta BSP sede 60° recuperabile




DN	THREAD ROSCA	Part nº Referencia	€
1/4"	1/4" BSP	Z3G-4	
5/16"	3/8" BSP	Z3G-6-5	
3/8"	3/8" BSP	Z3G-6	
3/8"	1/2" BSP	Z3G-8-6	
1/2"	1/2" BSP	Z3G-8	
3/4"	3/4" BSP	Z3G-12	
1"	1" BSP	Z3G-16	
1"1/4	1"1/4 BSP	Z3G-20	
1"1/2	1"1/2 BSP	Z3G-24	

Hembras giratorias 90° reusables rosca BSP cono 60°

Reusable BSP 60° cone (90° Elbow)

Coude 90° femelle récupérable gaz cylindrique BSP 60°

Femmina 90° BSP sede 60° recuperabile




DN	THREAD ROSCA	Part nº Referencia	€
1/4"	1/4" BSP	Z90G-4	
3/8"	3/8" BSP	Z90G-6	
3/8"	1/2" BSP	Z90G-8-6	
1/2"	1/2" BSP	Z90G-8	
3/4"	3/4" BSP	Z90G-12	
1"	1" BSP	Z90G-16	

Machos reusables rosca cilíndrica BSP cono 60°

Reusable BSP Male parallel 60° cone

Mâle récupérable gaz cylindrique BSP 60°

Maschio BSP cilindrico sede 60° recuperabile



DN	THREAD ROSCA	Part nº Referencia	€
1/4"	1/4" BSP	Z2G-4	
5/16"	3/8" BSP	Z2G-6-5	
3/8"	3/8" BSP	Z2G-6	
3/8"	1/2" BSP	Z2G-8-6	
1/2"	1/2" BSP	Z2G-8	
3/4"	3/4" BSP	Z2G-12	
1"	1" BSP	Z2G-16	

Crimping fittings for hoses

Pipe fittings

Pipe fittings II

Adaptors

Welding fittings

Industrial fittings

Accessories

Control components

Flow measuring

Tridle LOK

Conexiones Reusables/Field Attachable

Reusable series
Embouts série récupérable
Serie Recuperabile


- Pipe fittings
- Pipe fittings II
- Adaptors
- Welding fittings
- Industrial fittings
- Accessories
- Control components
- Flow measuring
- Tralle LOK

Hembras giratorias rectas reusables rosca JIC cono 37°

Reusable JIC 37° straight Swivel female

Femelle droite récupérable JIC 37°

Femmina dirritta JIC sede 37° recuperabile




DN	THREAD ROSCA	Part n° Referencia	€
1/4"	7/16" 20h UNF	Z3J-07-04	
3/8"	9/16" 18h UNF	Z3J-09-06	
1/2"	3/4" 16h UNF	Z3J-12-08	
1/2"	7/8" 14h UNF	Z3J-14-08	
5/8"	7/8" 14h UNF	Z3J-14-10	
3/4"	1"1/16 12h UNF	Z3J-17-12	
1"	1"5/16 12h UNF	Z3J-21-16	

Machos reusables rosca JIC cono 37°

Reusable JIC Male 37° cone

Mâle récupérables JIC cône 37°

Maschio JIC 37°




DN	THREAD ROSCA	Part n° Referencia	€
1/4"	7/16" 20h UNF	Z2J-07-04	
3/8"	9/16" 18h UNF	Z2J-09-06	
1/2"	3/4" 16h UNF	Z2J-12-08	
1/2"	7/8" 14h UNF	Z2J-14-08	
5/8"	7/8" 14h UNF	Z2J-14-10	
3/4"	1"1/16" 12h UNF	Z2J-17-12	
1"	1" 5/16" 12h UNF	Z2J-21-16	

Machos reusables rosca NPT

Reusable NPT Male

Mâle récupérables NPT

Maschio NPT recuperabile




DN	THREAD ROSCA	Part n° Referencia	€
1/4	1/4" NPT	Z2NPT-04-04	
3/8	3/8" NPT	Z2NPT-06-06	
1/2	1/2" NPT	Z2NPT-08-08	
5/8	5/8" NPT	Z2NPT-10-10	
3/4	3/4" NPT	Z2NPT-12-12	
1"	1" NPT	Z2NPT-16-16	

Hembras giratorias 90° reusables rosca JIC cono 37°

90° reusable Swivel female thread JIC cone 37°

Femelle pivotante 90° filetage réutilisable cône JIC 37°

90° riutilizzabile Femmina girevole Filetto cono JIC 37°




DN	THREAD ROSCA	Part n° Referencia	€
1/4"	7/16" 20h UNF	Z3J90-07-04	
3/8"	9/16" 18h UNF	Z3J90-09-06	
1/2"	3/4" 16h UNF	Z3J90-12-08	
1/2"	7/8" 14h UNF	Z3J90-14-08	
5/8"	7/8" 14h UNF	Z3J90-14-10	
3/4"	1"1/16 12h UN	Z3J90-17-12	
1"	1"5/16 12h UN	Z3J90-21-16	

Hembras giratorias 45° reusables rosca JIC cono 37°

45° reusable Swivel female thread JIC cone 37°

Femelle pivotante 45° filetage réutilisable cône JIC 37°

45° riutilizzabile Femmina girevole Filetto cono JIC 37°




DN	THREAD ROSCA	Part n° Referencia	€
1/4"	7/16" 20h UNF	Z3J45-07-04	
3/8"	9/16" 18h UNF	Z3J45-09-06	
1/8"	3/4" 16h UNF	Z3J45-12-08	
1/2"	7/8" 14h UNF	Z3J45-14-08	
5/8"	7/8" 14h UNF	Z3J45-14-10	
3/4"	1"1/16 12h UN	Z3J45-17-12	
1"	1"5/16 12h UN	Z3J45-21-16	

Espigas lisas Métricas reusables

Reusable Metric standpipe

Embout lisse récupérable Métrique

Estremità tubolare recuperabile







DN	PIPE TUBO	Part n° Referencia	€
1/4"	6	ZE-6-4	
1/4"	8	ZE-8-4	
3/8"	8	ZE-8-6	
1/4"	10	ZE-10-4	
5/16"	10	ZE-10-5	
3/8"	10	ZE-10-6	
5/16"	12	ZE-12-5	
3/8"	12	ZE-12-6	
3/8"	15	ZE-15-6	
1/2"	15	ZE-15-8	
1/2"	16	ZE-16-8	
3/4"	22	ZE-22-12	
3/4"	25	ZE-25-12	
1"	25	ZE-25-16	
1"	28	ZE-28-16	
1"	30	ZE-30-16	

* Consultar / *On request / *Sur demande / *Su richiesta

Conexiones Reusables para R5/ Field Attachable

Reusable series for R5
Embouts série récupérable pour R5
Serie Recuperabile per R5

Hembras giratorias rectas reusables R5 rosca JIC cono 37°				Hembras giratorias 45° reusables R5 rosca JIC cono 37°			
Reusable R5 JIC 37° straight swivel female Femelle pivotante droite réutilisable R5 JIC filetage 37° cône Femmina diritta girevole recuperabile per R5 filetto JIC cono 37°				Reusable R5 JIC 37° swivel female (45° elbow) Femelle pivotante 45° réutilisable Filetage R5 Cône JIC 37° Femmina 45° girevole recuperabile per R5 filetto JIC cono 37°			
							
DN	THREAD ROSCA	Part nº Referencia	€	DN	THREAD ROSCA	Part nº Referencia	€
3/16"	7/16" 20 UNF	Z3J-07-04-R5		3/16"	7/16" 20 UNF	Z3J45-07-04-R5	
1/4"	7/16" 20h UNF	Z3J-07-05-R5		1/4"	7/16" 20h UNF	Z3J45-07-05-R5	
1/4"	1/2" 20h UNF	Z3J-08-05-R5		1/4"	1/2" 20h UNF	Z3J45-08-05-R5	
5/16"	9/16" 18h UNF	Z3J-09-06-R5		5/16"	9/16" 18h UNF	Z3J45-09-06-R5	
13/32"	3/4" 16h UNF	Z3J-12-08-R5		13/32"	3/4" 16h UNF	Z3J45-12-08-R5	
1/2"	3/4" 16h UNF	Z3J-12-10-R5		1/2"	3/4" 16h UNF	Z3J45-12-10-R5	
1/2"	7/8"x14 UNF	Z3J-14-10-R5		1/2"	7/8" 14 UNF	Z3J45-14-10-R5	
5/8"	1" 1/16" 12 UNF	Z3J-17-12-R5		5/8"	1" 1/16 12 UNF	Z3J45-17-12-R5	
7/8"	1" 5/16" 12 UNF	Z3J-21-16-R5		7/8"	1" 5/16" 12 UNF	Z3J45-21-16-R5	
1"1/8"	1" 5/8 12 UNF	Z3J-26-20-R5					
1"3/8"	1" 7/8 12 UNF	Z3J-30-24-R5					
1"13/16"	2" 1/2 12UNF	Z3J-40-32-R5					

Hembras giratorias 90° reusables R5 rosca JIC cono 37°				Machos reusables R5 rosca NPT			
Reusable R5 JIC 37° swivel female (90° elbow) Femelle pivotante 90° filetage R5 réutilisable cône JIC 37° Femmina girevole 90° recuperabile per R5 filetto JIC cono 37°				Reusable R5 NPT Male Mâle récupérables R5 NPT Maschio R5 NPT recuperabile			
							
DN	THREAD ROSCA	Part nº Referencia	€	DN	THREAD ROSCA	Part nº Referencia	€
3/16"	7/16" 20 UNF	Z3J90-07-04-R5		3/16"	1/4" NPT	Z2P-04-04-R5	
1/4"	7/16" 20h UNF	Z3J90-07-05-R5		1/4"	1/4" NPT	Z2P-04-05-R5	
1/4"	1/2" 20h UNF	Z3J90-08-05-R5		5/16"	3/8" NPT	Z2P-06-06-R5	
5/16"	9/16" 18h UNF	Z3J90-09-06-R5		13/32"	1/2" NPT	Z2P-08-08-R5	
13/32"	3/4" 16h UNF	Z3J90-12-08-R5		1/2"	1/2" NPT	Z2P-08-10-R5	
1/2"	3/4" 16h UNF	Z3J90-12-10-R5		5/8"	3/4" NPT	Z2P-12-12-R5	
1/2"	7/8" 14 UNF	Z3J90-14-10-R5		7/8"	1" NPT	Z2P-16-16-R5	
5/8"	1" 1/16 12 UNF	Z3J90-17-12-R5		1" 1/8"	1" 1/4 NPT	Z2P-20-20-R5	
7/8"	1" 5/16" 12 UNF	Z3J90-21-16-R5		1" 3/8"	1" 1/2 NPT	Z2P-24-24-R5	
				1" 13/16"	2" NPT	Z2P-32-32-R5	

■ CONEXIONES REUSABLES R5

■ REUSABLE R5 FITTINGS



Consulta datos en nuestra ficha técnica | Check our technical sheet for data

Sistemas hidráulicos de **media presión** con fluidos basados en petróleo o agua/ glycol, aceites y lubricantes.

Medium pressure hydraulic systems with petroleum or water/glycol based fluids and for fuel and lubricating oils

* Consultar / *On request / *Sur demande / *Su richiesta

Crimping fittings for hoses

Pipe fittings

Pipe fittings II

Adaptors

Welding fittings

Industrial fittings

Accessories

Control components

Flow measuring

Tr4le LOK

Conexiones Push-On

Push-On Fittings
Embouts Push-On
Raccordi Serie Push-On

Pipe fittings

Pipe fittings II

Adaptors

Welding fittings

Industrial fittings

Accessories

Control components

Flow measuring


Trtle LOK

Hembras giratorias rectas rosca BSP cono 60°

BSP Swivel female 60° cone

Femelle tournante BSP cone 60°

Femmina diritta BSP sede 60°




DN	THREAD ROSCA	Part n° Referencia	€
1/4"	1/4" BSP	891000404	
3/8"	3/8" BSP	891000606	
1/2"	1/2" BSP	891000808	
5/8"	5/8" BSP	891001010	
3/4"	3/4" BSP	891001212	
1"	1" BSP	891001616	

Machos rosca cilíndrica BSP cono 60°

BSP Male 60° cone

Mâle fixe BSP cone 60°

Maschio BSP cilindrico sede 60°




DN	THREAD ROSCA	Part n° Referencia	€
1/4"	1/4" BSP	891120404	
3/8"	3/8" BSP	891120606	
1/2"	1/2" BSP	891120808	
3/4"	1/2" BSP	891120812	
5/8"	5/8" BSP	891121010	
3/4"	3/4" BSP	891121212	
1"	1" BSP	891121616	

Hembras giratorias rectas JIC 37°

JIC 37° Swivel female

Femelle tournante JIC 37°

Femmina diritta JIC sede 37°




DN	THREAD ROSCA	Part n° Referencia	€
1/4"	7/16" 20h UNF	891420704	
3/8"	9/16" 18h UNF	891420906	
1/2"	3/4" 16h UNF	891421208	
5/8"	7/8" 14h UNF	891421410	
3/4"	1"1/16 12h UN	891421712	
1"	1"5/16 12h UN	891422116	

Machos rosca JIC cono 37°

JIC 37° Male

Mâle fixe JIC 37°

Maschio JIC sede 37°




DN	THREAD ROSCA	Part n° Referencia	€
1/4"	7/16" 20h UNF	891400704	
3/8"	9/16" 18h UNF	891400906	
1/2"	3/4" 16h UNF	891401208	
5/8"	7/8" 14h UNF	891401410	
3/4"	1"1/16 12h UN	891401712	
1"	1"5/16 12h UN	891402116	

Machos rosca cónica NPT

NPT Male pipe straight

Mâle gaz conique NPT (BRIGGS)

Maschio NPT conico




DN	THREAD ROSCA	Part n° Referencia	€
1/4"	1/4" NPT	891610404	
3/8"	3/8" NPT	891610606	
1/2"	1/2" NPT	891610808	
3/4"	3/4" NPT	891611212	
1"	1" NPT	891611616	

Hembra giratoria recta Métrica cono 24°

Metric female swivel with o´ring 24° cone

Femelle Métrique avec o´ring cône 24°

Femmina Metrica sede 24° con o´ring




DN	PIPE TUBO	SERIE	THREAD ROSCA	Part n° Referencia	€
1/4"	8	L	M14x1.5	89804140804	
1/4"	10	L	M16x1.5	89804161004	
3/8"	12	L	M18x1.5	89804181206	
1/2"	15	L	M22x1.5	89804221508	
3/4"	22	L	M30x2	89804302212	

Machos rosca métrica cono 24°

Metric stud 24° cone

Mâle Métrique cône 24°

Maschio Metrico sede 24°



DN	PIPE TUBO	SERIE	THREAD ROSCA	Part n° Referencia	€
1/4"	8	L	M14x1.5	89203140804	
1/4"	10	L	M16x1.5	89203161004	
3/8"	12	L	M18x1.5	89203181206	
1/2"	15	L	M22x1.5	89203221508	
3/4"	22	L	M30x2	89203302212	