


MARK HEFFERNAN
PH.0419194512
mh@markheffernan.com.au
www.markheffernan.com.au

RACORES
INOXIDABLE

AISI 316L

CODE 61 & 62 FLANGE CLAMPS



MH
ABN 96 836 066 283

Specialising in 316 SS
Fluid Couplings & Accessories

The Direct Connection
Since 2006

Mark Heffernan


☎ 61 419 194 512 ✉ mh@markheffernan.com.au
📍 West End, Brisbane, Australia, 4101
www.markheffernan.com.au

DICSA

Bridas

Bridas
Bridas
Bridas
Bridas

- Characteristics
- Characteristics
- Dimensions
- Dimensions



- Bridas 6000 PSI
- Bridas 6000 PSI
- Bridas 6000 PSI
- Bridas 6000 PSI

Tamaño Size Taille Misura	Max. pre. Max. pre. Max. pre.	B	C	E	O'ring NBR O'ring NBR O'ring NBR O'ring NBR	Junta PU PU seal Joint PU Guarnizione in PU	Ø	Tornillo * Screw * Vis * Vite *	Rosca Thread Filetage Filetto
1/2"	345 bar	13	38,1	17,48	18,64 x 3,53	JBR08	9	TB8X30	M8
3/4"	345 bar	19	47,63	22,23	24,99 x 3,53	JBR12	11	TB10X35	M10
1"	345 bar	25	52,37	26,19	32,92 x 3,53	JBR16	11	TB10X35	M10
1 1/4"	276 bar	32	58,72	30,18	37,70 x 3,53	JBR20	11,5	TB10X40	M10
1 1/2"	207 bar	38	69,85	35,71	47,22 x 3,53	JBR24	13,5	TB12X45	M12
2"	207 bar	51	77,77	42,88	56,74 x 3,53	JBR32	13,5	TB12X45	M12
2 1/2"	172 bar	63	88,9	50,8	66,27 x 3,53		13,5	TB12X45	M12
3"	138 bar	73	106,38	61,93	85,32 x 3,53		17,5	TB16X50	M16
3 1/2"	34 bar	89	120,65	69,85	98,02 x 3,53		17,5	TB16X50	M16
4"	34 bar	99	130,18	77,77	110,72 x 3,53		17,5	TB16X50	M16

- Bridas 6000 PSI
- Flanges 6000 PSI
- Bridas 6000 PSI
- Bridas 6000 PSI

Tamaño Size Taille Misura	Max. pre. Max. pre. Max. pre.	B	C	E	O'ring NBR O'ring NBR O'ring NBR O'ring NBR	Junta PU PU seal Joint PU Guarnizione PU	Ø	Tornillo * Screw * Vis * Vite *	Rosca Thread Filetage Filetto
1/2"	414 bar	13	40,49	18,24	18,64 x 3,53	JBR08	9	TB8X30	M8
3/4"	414 bar	19	50,8	23,8	24,99 x 3,53	JBR12	11	TB10X40	M10
1"	414 bar	25	57,15	27,76	32,92 x 3,53	JBR16	13	TB12X45	M12
1 1/4"	414 bar	32	66,68	31,75	37,70 x 3,53	JBR20	15	TB14X45	M14
1 1/2"	414 bar	38	79,38	36,5	47,22 x 3,53	JBR24	17	TB16X50	M16
2"	414 bar	51	98,82	44,45	56,74 x 3,53	JBR32	21	TB20X70	M20

* See the reference number of the product in the catalog for the correct reference number.
* Voir le numéro de référence du produit dans le catalogue pour le bon numéro de référence.
* Die Artikelnummer des Produkts im Katalog ist die richtige Artikelnummer.
* Les références des produits dans le catalogue sont les bonnes références.

Crimping fittings for
hoses

Pipe fittings

Pipe fittings II

Adaptors

Welding fittings

Industrial fittings

Accessories

Control components

Flow measuring

Trtle LOK

Crimping fittings for hoses

Pipe fittings

Pipe fittings II

Adaptors

Welding fittings

Industrial fittings

Accessories

Control components

Flow measuring

Tridle LOK

SAE Flanges

Bridas SAE
SAE-Flansche
Brides SAE

BSP Female threaded flange

Brida roscada hembra BSP

Gewindeflansch w BSP

Bride taraudée femelle BSP

SERIE	THREAD ROSCA	SIZE TAMAÑO	Part n° Referencia	€
3000 PSI	1/2" BSP	1/2"	ZBBRG30808	
3000 PSI	3/4" BSP	3/4"	ZBBRG31212	
3000 PSI	1" BSP	1"	ZBBRG31616	
3000 PSI	1"1/4 BSP	1"1/4	ZBBRG32020	
3000 PSI	1"1/2 BSP	1"1/2	ZBBRG32424	
3000 PSI	2" BSP	2"	ZBBRG33232	
3000 PSI	2"1/2 BSP	2"1/2	ZBBRG34040	
3000 PSI	3" BSP	3"	ZBBRG34848	
3000 PSI	3"1/2 BSP	3"1/2	ZBBRG35656	
3000 PSI	4" BSP	4"	ZBBRG36464	
6000 PSI	1/2" BSP	1/2"	ZBBRG60808	
6000 PSI	3/4" BSP	3/4"	ZBBRG61212	
6000 PSI	1" BSP	1"	ZBBRG61616	
6000 PSI	1"1/4 BSP	1"1/4	ZBBRG62020	
6000 PSI	1"1/2 BSP	1"1/2	ZBBRG62424	
6000 PSI	2" BSP	2"	ZBBRG63232	

BSP Female threaded counter-flange

Contrabrida roscada hembra BSP

Gewindegegenflansch w BSP

Contre-bride taraudée femelle BSP

SERIE	THREAD ROSCA	SIZE TAMAÑO	Part n° Referencia	€
3000 PSI	1/2" BSP	1/2"	ZBCRG30808	
3000 PSI	3/4" BSP	3/4"	ZBCRG31212	
3000 PSI	1" BSP	1"	ZBCRG31616	
3000 PSI	1"1/4 BSP	1"1/4	ZBCRG32020	
3000 PSI	1"1/2 BSP	1"1/2	ZBCRG32424	
3000 PSI	2" BSP	2"	ZBCRG33232	
3000 PSI	2"1/2 BSP	2"1/2	ZBCRG34040	
3000 PSI	3" BSP	3"	ZBCRG34848	
3000 PSI	3"1/2 BSP	3"1/2	ZBCRG35656	
3000 PSI	4" BSP	4"	ZBCRG36464	
6000 PSI	1/2" BSP	1/2"	ZBCRG60808	
6000 PSI	3/4" BSP	3/4"	ZBCRG61212	
6000 PSI	1" BSP	1"	ZBCRG61616	
6000 PSI	1"1/4 BSP	1"1/4	ZBCRG62020	
6000 PSI	1"1/2 BSP	1"1/2	ZBCRG62424	
6000 PSI	2" BSP	2"	ZBCRG63232	


90° BSP female threaded flange

Brida codo 90° roscada hembra BSP

Gewindeflansch Winkel 90 ° w BSP

Bride 90° taraudée femelle BSP

SERIE	THREAD ROSCA	SIZE TAMAÑO	Part n° Referencia	€
3000 PSI	1/2" BSP	1/2"	ZB90RG30808	
3000 PSI	3/4" BSP	3/4"	ZB90RG31212	
3000 PSI	1" BSP	1"	ZB90RG31616	
3000 PSI	1"1/4 BSP	1"1/4	ZB90RG32020	
3000 PSI	1"1/2 BSP	1"1/2	ZB90RG32424	
3000 PSI	2" BSP	2"	ZB90RG33232	
6000 PSI	1/2" BSP	1/2"	ZB90RG60808	
6000 PSI	3/4" BSP	3/4"	ZB90RG61212	
6000 PSI	1" BSP	1"	ZB90RG61616	
6000 PSI	1"1/4 BSP	1"1/4	ZB90RG62020	
6000 PSI	1"1/2 BSP	1"1/2	ZB90RG62424	



SAE Flanges


Bridas SAE
SAE-Flansche
Brides SAE

Welding female flange for gas tube

Brida soldable hembra tubo gas

Schweißflansch w Rohr Gas

Bride à souder femelle tube gaz




SERIE	Ø INNER Ø INT.	SIZE TAMAÑO	Part n° Referencia	€
3000 PSI	21.6	1/2"	ZBBSG308216	
3000 PSI	27.2	3/4"	ZBBSG312272	
3000 PSI	34.0	1"	ZBBSG316340	
3000 PSI	42.8	1"1/4	ZBBSG320428	
3000 PSI	48.6	1"1/2	ZBBSG324486	
3000 PSI	61.0	2"	ZBBSG332610	
3000 PSI	76.6	2"1/2	ZBBSG340766	
3000 PSI	90.5	3"	ZBBSG348905	
3000 PSI	103.0	3"1/2	ZBBSG3561030	
3000 PSI	115.5	4"	ZBBSG3641155	
6000 PSI	21.6	1/2"	ZBBSG608216	
6000 PSI	27.2	3/4"	ZBBSG612272	
6000 PSI	34.0	1"	ZBBSG616340	
6000 PSI	42.8	1"1/4	ZBBSG620428	
6000 PSI	48.6	1"1/2	ZBBSG624486	
6000 PSI	61.0	2"	ZBBSG632610	

Welding female counter-flange for gas tube

Contrabrida soldable hembra tubo gas

Schweiß-Gegenflansch w Rohr Gas

Contre-bride à souder femelle tube gaz




SERIE	Ø INNER Ø INT.	SIZE TAMAÑO	Part n° Referencia	€
3000 PSI	21.6	1/2"	ZBCSG308216	
3000 PSI	27.2	3/4"	ZBCSG312272	
3000 PSI	34.0	1"	ZBCSG316340	
3000 PSI	42.8	1"1/4	ZBCSG320428	
3000 PSI	48.6	1"1/2	ZBCSG324486	
3000 PSI	61.0	2"	ZBCSG332610	
3000 PSI	76.6	2"1/2	ZBCSG340766	
3000 PSI	90.5	3"	ZBCSG348905	
3000 PSI	103.0	3"1/2	ZBCSG3561030	
3000 PSI	115.5	4"	ZBCSG3641155	
6000 PSI	21.6	1/2"	ZBCSG608216	
6000 PSI	27.2	3/4"	ZBCSG612272	
6000 PSI	34.0	1"	ZBCSG616340	
6000 PSI	42.8	1"1/4	ZBCSG620428	
6000 PSI	48.6	1"1/2	ZBCSG624486	
6000 PSI	61.0	2"	ZBCSG632610	

90° welding female flange for gas tube


Brida codo 90° soldable hembra tubo gas

Vorschweißflansch Winkel 90° w Rohr Gas

Bride 90° à souder femelle tube gaz



SERIE	Ø INNER Ø INT.	SIZE TAMAÑO	Part n° Referencia	€
3000 PSI	21.6	1/2"	ZB90SG308216	
3000 PSI	27.2	3/4"	ZB90SG312272	
3000 PSI	34.0	1"	ZB90SG316340	
3000 PSI	42.8	1"1/4	ZB90SG320428	
3000 PSI	48.6	1"1/2	ZB90SG324486	
3000 PSI	61.0	2"	ZB90SG332610	
6000 PSI	21.6	1/2"	ZB90SG608216	
6000 PSI	27.2	3/4"	ZB90SG612272	
6000 PSI	34.0	1"	ZB90SG616340	
6000 PSI	42.8	1"1/4	ZB90SG620428	
6000 PSI	48.6	1"1/2	ZB90SG624486	



Crimping fittings for
hoses

Pipe fittings

Pipe fittings II

Adaptors

Welding fittings

Industrial fittings

Accessories

Control components

Flow measuring

Trile LOK

SAE Flanges


Bridas SAE
SAE-Flansche
Brides SAE

Female welding flange for metric tube

Brida soldable hembra tubo métrico

Schweißflansch w Rohr metr.

Bride à souder femelle tube métrique




SERIE	Ø INNER Ø INT.	SIZE TAMAÑO	Part nº Referencia	€
3000 PSI	20.3	1/2"	ZBBSM308203	*
3000 PSI	25.3	3/4"	ZBBSM312253	*
3000 PSI	30.3	1"	ZBBSM316303	*
3000 PSI	38.3	1"1/4	ZBBSM320383	*
3000 PSI	50.5	1"1/2	ZBBSM324505	*
6000 PSI	20.3	1/2"	ZBBSM608203	*
6000 PSI	25.3	3/4"	ZBBSM612253	*
6000 PSI	30.3	1"	ZBBSM616303	*
6000 PSI	38.3	1"1/4	ZBBSM620383	*
6000 PSI	50.5	1"1/2	ZBBSM624505	*

Female welding counter-flange for metric tube

Contrabrida soldable hembra tubo métrico

Schweiß-Gegenflansch w Rohr metr.

Contre-bride à souder femelle tube métrique




SERIE	Ø INNER Ø INT.	SIZE TAMAÑO	Part nº Referencia	€
3000 PSI	20.3	1/2"	ZBCSM308203	*
3000 PSI	25.3	3/4"	ZBCSM312253	*
3000 PSI	30.3	1"	ZBCSM316303	*
3000 PSI	38.3	1"1/4	ZBCSM320383	*
3000 PSI	50.5	1"1/2	ZBCSM324505	*
6000 PSI	20.3	1/2"	ZBCSM608203	*
6000 PSI	25.3	3/4"	ZBCSM612253	*
6000 PSI	30.3	1"	ZBCSM616303	*
6000 PSI	38.3	1"1/4	ZBCSM620383	*
6000 PSI	50.5	1"1/2	ZBCSM624505	*

90° female welding flange for metric tube


Brida codo 90° soldable Hembra tubo métrico

Vorschweißflansch Winkel 90° w Rohr metr.

Bride 90° à souder femelle tube métrique



SERIE	Ø INNER Ø INT.	SIZE TAMAÑO	Part nº Referencia	€
3000 PSI	20.3	1/2"	ZB90SM308203	*
3000 PSI	25.3	3/4"	ZB90SM312253	*
3000 PSI	30.3	1"	ZB90SM316303	*
3000 PSI	38.3	1"1/4	ZB90SM320383	*
3000 PSI	50.5	1"1/2	ZB90SM324505	*
6000 PSI	20.3	1/2"	ZB90SM608203	*
6000 PSI	25.3	3/4"	ZB90SM612253	*
6000 PSI	30.3	1"	ZB90SM616303	*
6000 PSI	38.3	1"1/4	ZB90SM620383	*
6000 PSI	50.5	1"1/2	ZB90SM624505	*



SAE Flanges


Bridas SAE
SAE-Flansche
Brides SAE

Blind flanges				Blind counter-flanges			
Bridas ciegas				Contrabridas ciegas			
Blindflansche				Blind-/Gegenflansche			
Brides avec obturateur fermé				Contre-brides avec obturateur fermé			
SERIE	SIZE TAMAÑO	Part n° Referencia	€	SERIE	SIZE TAMAÑO	Part n° Referencia	€
3000 PSI	1/2"	ZBBC308		3000 PSI	1/2"	ZBCC308	
3000 PSI	3/4"	ZBBC312		3000 PSI	3/4"	ZBCC312	
3000 PSI	1"	ZBBC316		3000 PSI	1"	ZBCC316	
3000 PSI	1"1/4	ZBBC320		3000 PSI	1"1/4	ZBCC320	
3000 PSI	1"1/2	ZBBC324		3000 PSI	1"1/2	ZBCC324	
3000 PSI	2"	ZBBC332		3000 PSI	2"	ZBCC332	
3000 PSI	2"1/2	ZBBC340		3000 PSI	3"	ZBCC348	
3000 PSI	3"	ZBBC348		3000 PSI	3"1/2	ZBCC356	
3000 PSI	3"1/2	ZBBC356		3000 PSI	4"	ZBCC364	
3000 PSI	4"	ZBBC364		6000 PSI	1/2"	ZBCC608	
6000 PSI	1/2"	ZBBC608		6000 PSI	3/4"	ZBCC612	
6000 PSI	3/4"	ZBBC612		6000 PSI	1"	ZBCC616	
6000 PSI	1"	ZBBC616		6000 PSI	1"1/4	ZBCC620	
6000 PSI	1"1/4	ZBBC620		6000 PSI	1"1/2	ZBCC624	
6000 PSI	1"1/2	ZBBC624		6000 PSI	2"	ZBCC632	
6000 PSI	2"	ZBBC632					

Blind welded flanges


Blind welded flanges
Blindflansche männlich
Bridas soldadas macho

- Blind welded flange for gas
Blind welded flange for gas
Blindflansche männlich für Gas
Bridas soldadas macho para gas




Ref: ZBMSG

- Blind welded flange for gas
Blind welded flange for gas
Blindflansche männlich für Gas
Bridas soldadas macho para gas




Ref: ZBCMSG

- Blind welded flange for metric tube
Blind welded flange for metric tube
Blindflansche männlich für Rohr
Bridas soldadas macho para tubo metrico



Ref: ZBMSM

- Blind welded flange for metric tube
Blind welded flange for metric tube
Blindflansche männlich für Rohr
Bridas soldadas macho para tubo metrico



Ref: ZBCMSM

- Crimping fittings for hoses
- Pipe fittings
- Pipe fittings II
- Adaptors
- Welding fittings
- Industrial fittings
- Accessories
- Control components
- Flow measuring
- Trile LOK

Crimping fittings for hoses

Pipe fittings

Pipe fittings II

Adaptors

Welding fittings

Industrial fittings

Accessories

Control components

Flow measuring

Tralle LOK

SAE Flanges


Bridas SAE
SAE-Flansche
Brides SAE

SAE Split flange

Brida partida pasante

Durchgehender Halbflansch

Demi-bride passage total



SERIE	Ø INNER Ø INT.	SIZE TAMAÑO	Part nº Referencia	€
3000 PSI	30.2	1/2"	ZBBP308302	*
3000 PSI	38.1	3/4"	ZBBP312381	*
3000 PSI	44.5	1"	ZBBP316445	*
3000 PSI	50.8	1"1/4	ZBBP320508	*
3000 PSI	60.3	1"1/2	ZBBP324603	*
3000 PSI	71.4	2"	ZBBP332714	*
3000 PSI	102.4	3"	ZBBP3481024	*
6000 PSI	31.8	1/2"	ZBBP608318	*
6000 PSI	41.3	3/4"	ZBBP612413	*
6000 PSI	47.6	1"	ZBBP616476	*
6000 PSI	54	1"1/4	ZBBP620540	*
6000 PSI	63.5	1"1/2	ZBBP624635	*
6000 PSI	79.4	2"	ZBBP632794	*


*See prices in p.37 (FITTINGS) / *Ver precios en p. 37 (CONEXIONES) / *Vgl. Sie die Preise auf S. 37 (ARMATUREN) / *Prix à la p.37 (EMBOUTS)

SAE Flange

Brida entera pasante

Durchgehender Vollflansch

Bride monobloc passage total



SERIE	Ø INNER Ø INT.	SIZE TAMAÑO	Part nº Referencia	€
3000 PSI	30.2	1/2"	ZBBE308302	*
3000 PSI	38.1	3/4"	ZBBE312381	*
3000 PSI	44.5	1"	ZBBE316445	*
3000 PSI	50.8	1"1/4	ZBBE320508	*
3000 PSI	60.3	1"1/2	ZBBE324603	*
3000 PSI	71.4	2"	ZBBE332714	*
6000 PSI	31.8	1/2"	ZBBE608318	*
6000 PSI	41.3	3/4"	ZBBE612413	*
6000 PSI	47.6	1"	ZBBE616476	*
6000 PSI	54	1"1/4	ZBBE620540	*
6000 PSI	63.5	1"1/2	ZBBE624635	*
6000 PSI	79.4	2"	ZBBE632794	*


*See prices p.37 (FITTINGS) / *Ver precios en p. 37 (CONEXIONES) / *Vgl. Sie die Preise auf S. 37 (ARMATUREN) / *Prix à la p.37 (EMBOUTS)

SAE counter-flange


Contrabrida roscada

Gewindegegenflansch

Contre-bride passage total



SERIE	Ø	SIZE TAMAÑO	Part nº Referencia	€
3000 PSI	30,2	1/2"	ZBCE308302	*
3000 PSI	38,1	3/4"	ZBCE312381	*
3000 PSI	44,5	1"	ZBCE316445	*
3000 PSI	50,8	1"1/4	ZBCE320508	*
3000 PSI	60,3	1"1/2	ZBCE324603	*
3000 PSI	71,4	2"	ZBCE332714	*
6000 PSI	31,8	1/2"	ZBCE608318	*
6000 PSI	41,3	3/4"	ZBCE612413	*
6000 PSI	47,6	1"	ZBCE616476	*
6000 PSI	54	1"1/4	ZBCE620540	*
6000 PSI	63,5	1"1/2	ZBCE624635	*
6000 PSI	79,4	2"	ZBCE632794	*



*On request / * Consultar / *Auf Anfrage / *Sur demande